L Number	Hits	Search Text	DB	Time stamp
-	1	("20020198972").PN.	US-PGPUB	2004/10/06 11:35
-	357	(709/222).CCLS.	USPAT	2004/10/06 11:25
-	796	(709/220).ccLs.	USPAT	11:25 2004/10/06 11:25
-	193	((709/220).CCLS.) and (pre-boot or boot or multicast)	USPAT	2004/10/06 11:26
-	1070	multicast adj address	USPAT; EPO; JPO; DERWENT;	2004/10/06 11:37
-	110	multicast adj address and boot	IBM_TDB USPAT; EPO; JPO; DERWENT;	2004/10/15 11:08
-	1	("6697851").PN.	IBM_TDB USPAT	2004/10/06
_	3137	babbit.inv. or nanerjee.inv. or sharma.inv. or vallabhaneni.inv.	USPAT; EPO; JPO; DERWENT; IBM TDB	2004/10/06 13:42
_	16	(babbit.inv. or nanerjee.inv. or sharma.inv. or vallabhaneni.inv.) and multicast	USPAT; EPO; JPO; DERWENT; IBM TDB	2004/10/14
-	5	multicast adj address and boot and process and (pre-boot\$3 or preboot\$3)	USPAT; EPO; JPO; DERWENT; IBM TDB	2004/10/06 13:49
_	20	(select\$3) near multicast adj address	USPAT; EPO; JPO; DERWENT; IBM TDB	2004/10/06 14:06
_	14	("4590467" "4792947" "5058109" "5079767" "5150464" "5276442" "5287346" "5309433" "5323388" "5425028" "5732094" "5842224" "5956335" "6018771").PN.	USPĀT	2004/10/06
-	8	6018771.URPN.	USPAT	2004/10/06
-	9	6567851.URPN.	USPAT	2004/10/06 13:57
_	34	(transmit\$5 or send\$3 or foward\$3) near multicast adj address	USPAT; EPO; JPO; DERWENT; IBM TDB	2004/10/06
-	3	((transmit\$5 or send\$3 or foward\$3) and (select\$3 or pick\$3 or choos\$3 or designat\$3 or elect\$3)) near multicast adj address	USPAT; EPO; JPO; DERWENT; IBM TDB	2004/10/06
-	29		USPAT; EPO; JPO; DERWENT; IBM TDB	2004/10/06 14:20
-	0	(transmit\$5 or send\$3 or foward\$3) near multicast adj address and (determin\$3 or compar\$3 or duplicat\$3 or differen\$5) and boot\$3	USPAT; EPO; JPO; DERWENT; IBM TDB	2004/10/06 14:20
_	20	T Y	USPAT; EPO; JPO; DERWENT; IBM TDB	2004/10/06 15:57
	175	-	USPAT; EPO; JPO; DERWENT; IBM TDB	2004/10/06 15:57

[-	1	(multicast adj address) and (boot adj	USPAT;	2004/10/06
		information)	EPO; JPO;	15:57
		·	DERWENT;	
			IBM TDB	
	,	(m, 1+1 = = +) = = 4 (h = + + + + + + + + + + + + + + + + + +		2004/10/06
-	4	(multicast) and (boot adj information)	USPAT;	
			EPO; JPO;	16:14
			DERWENT;	
			IBM TDB	
_	208	PXE or ((pre-boot\$3 or preboot) adj	USPAT;	2004/10/06
l l	200	execut\$3 adj environment) and ((select\$3	EPO; JPO;	16:27
				16:27
		or choos\$3 or elect\$3 or pick\$3 or mark\$3	DERWENT;	
		or nam\$3) adj (multicast\$3 adj address))	IBM TDB	
-	208	(PXE or ((pre-boot\$3 or preboot) adj	USPAT;	2004/10/13
		execut\$3 adj environment))	EPO; JPO;	17:54
			DERWENT;	2,
			IBM_TDB	
-	1	(PXE or ((pre-boot\$3 or preboot) adj	USPAT;	2004/10/06
		execut\$3 adj environment)) and	EPO; JPO;	16:30
		multicast\$3	DERWENT;	
		·	IBM TDB	
l _	3	(PXE or ((pre-boot\$3 or preboot) adj	USPAT;	2004/10/06
	3		·	
	ļ	execut\$3 adj environment)) and BINL	EPO; JPO;	16:30
	ļ	!	DERWENT;	
	}		IBM TDB	
[_	16	(transmit\$5 or send\$3 or foward\$3) near	USPAT;	2004/10/06
	1	multicast adj address and client	EPO; JPO;	19:11
		materease and address and effect		17.11
	į		DERWENT;	
			IBM_TDB	
-	2340	(709/227,229).CCLS.	USPĀT	2004/10/06
	l			19:11
<u> </u>	383	((709/227,229).CCLS.) and (multicast or	USPAT	2004/10/06
	202		ODIAL	
	1	boot\$3 or pre-boot\$3 or preboot\$3 or		19:14
		BINLD or MTFTP)		
-	38	multicast adj address and boot and query	USPAT;	2004/10/13
			EPO; JPO;	15:41
			DERWENT;	
			IBM TDB	
	176	1, , ,, , ,		2004/10/12
-	1/6	boot adj information	USPAT;	2004/10/13
]			EPO; JPO;	14:36
			DERWENT;	
			IBM TDB	
_	ا ۵	boot adj information and multicast	USPAT;	2004/10/13
	• 1	account and marcross	EPO; JPO;	14:37
		•		11.3/
			DERWENT;	
			IBM_TDB	
-	4	boot adj information and multicast\$3	USPAT;	2004/10/13
		-	EPO; JPO;	14:37
		!	DERWENT;	
			IBM TDB	
	100			2004/10/12
-	106		USPAT;	2004/10/13
	1	process	EPO; JPO;	14:42
			DERWENT;	
	1		IBM TDB	
_	106	multicast adj address and boot and	USPAT;	2004/10/13
	100			14:44
		process and (boot\$3 or pre-boot\$3 or	EPO; JPO;	T#:44
		preboot\$3)	DERWENT;	
			IBM_TDB	
-	75	multicast adj address and boot and	USPĀT;	2004/10/13
		process and (boot\$3 or pre-boot\$3 or	EPO; JPO;	15:11
		preboot\$3) and ((us\$3 or available or	DERWENT;	-
			·	
		unavailable) near address)	IBM_TDB	0004/40/
-	325	select\$3 adj address same (determin\$3	USPAT;	2004/10/13
		near address)	EPO; JPO;	15:12
		1	DERWENT;	
		<u> </u>	IBM TDB	
_	7.	gologté2 adi addmoga arma (dotarmine)		2004/10/12
-	75	select\$3 adj address same (determin\$3	USPAT;	2004/10/13
		near address) and (transmit\$4 near	EPO; JPO;	15:13
		address)	DERWENT;	
	ı	, addross,		
		4441955,	IBM TDB	

_	2	select\$3 adj address same (determin\$3	USPAT;	2004/10/13
		near address) and (transmit\$4 near	EPO; JPO;	15:15
i		address) and multicast\$3	DERWENT;	
			IBM_TDB	
-	126	boot adj server	USPAT;	2004/10/13
			EPO; JPO;	15:15
			DERWENT;	
_	13	boot adj server and (address adj server)	IBM_TDB USPAT;	2004/10/12
-	13	boot adj server and (address adj server)	EPO; JPO;	2004/10/13
			DERWENT;	17:17
			IBM TDB	
_	13	boot adj server and (address adj server)	USPAT;	2004/10/13
		and address	EPO; JPO;	15:16
			DERWENT;	
			IBM TDB	
-	1394	(713/2,100).CCLS.	USPĀT	2004/10/13
				17:23
-	847	((713/2,100).CCLS.) and boot\$9	USPAT	2004/10/13
	•			15:45
-	650	((713/2,100).CCLS.) and boot\$9 and	USPAT	2004/10/13
1		address	·	15:45
-	135	multicast adj address and boot\$9	USPAT;	2004/10/13
		*	EPO; JPO;	16:20
			DERWENT;	
	606	(700/245) CGTS	IBM_TDB	2004/10/12
-	686	(709/245).CCLS.	USPAT	2004/10/13
_	142	((709/245).CCLS.) and (multicast\$3 or	USPAT	16:21 2004/10/13
	142	boot\$9)	USPAI	16:28
_	1	("6,611,872").PN.	USPAT	2004/10/13
	_	(0,022,072 ,0200	"""	16:32
_	1	("6,112,251").PN.	USPAT	2004/10/13
				16:34
_	1	("5835723").PN.	USPAT	2004/10/13
				16:34
-	40	5835723.URPN.	USPAT	2004/10/13
	10.00	/270/421 420 462 475) ####		16:37
-	1269	(370/431,432,463,475).CCLS.	USPAT	2004/10/13
_	295	((370/431,432,463,475).CCLS.) and	USPAT	16:38 2004/10/13
	293	((370)431,432,463,473).CCLS.) and (multicast\$3 or boot\$9)	OSPAI	16:43
_	208	"PXE"	USPAT;	2004/10/13
	200		EPO; JPO;	16:58
			DERWENT;	
		·	IBM TDB	
-	41	"PXE" and (boot\$9)	USPAT;	2004/10/13
			EPO; JPO;	17:06
			DERWENT;	
			IBM_TDB	
_	1	("6697851").PN.	USPAT	2004/10/13
	_	/	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	17:06
-	1	(send\$3 or forward\$3 or transmit\$4) near	USPAT;	2004/10/13
		(multicast adj address) near client	EPO; JPO;	17:19
			DERWENT; IBM TDB	
-	41	"same" adj (multicast adj address)	USPAT;	2004/10/13
	•••		EPO; JPO;	17:20
			DERWENT;	- · · = -
			IBM TDB	
-	6	"same" adj (multicast adj address) and	USPAT;	2004/10/13
		boot\$9	EPO; JPO;	17:21
			DERWENT;	
			IBM_TDB	
-	529	(709/221).CCLS.	USPAT	2004/10/13
		//700/001)		17:23
-	155	((709/221).CCLS.) and (multicast or	USPAT	2004/10/13
_	8	boot\$9) (multicast adj address) same boot	HCD2m.	17:23
		(murticast auj audress) same boot	USPAT; EPO; JPO;	2004/10/13
			DERWENT;	11.30
			IBM TDB	
		· · · · · · · · · · · · · · · · · · ·		i

-	40	select\$3 near2 (multicast adj address)	USPAT;	2004/10/13
			EPO; JPO;	17:56
			DERWENT;	1
	1		IBM_TDB	
-	33	select\$3 near2 (multicast adj address)	USPAT;	2004/10/13
		and (determin\$3 or compar\$3)	EPO; JPO;	17:56
			DERWENT;	
			IBM_TDB	
-	9	select\$3 near2 (multicast adj address)	USPAT;	2004/10/13
		and ((determin\$3 or compar\$3) near	EPO; JPO;	17:59
		address)	DERWENT;	
			IBM_TDB	
-	12	select\$3 near2 (multicast adj address)	USPAT;	2004/10/13
		and boot\$9	EPO; JPO;	17:59
			DERWENT;	
			IBM_TDB	
-	4	multicast\$3 adj address adj manage\$5	USPAT;	2004/10/14
			EPO; JPO;	10:10
			DERWENT;	
	١ ,	2	IBM_TDB	
1 -	3	boot\$9 adj negotiat\$5	USPAT;	2004/10/14
1			EPO; JPO;	10:10
1			DERWENT;	
1_	1	("6,345,294").PN.	IBM_TDB USPAT	2004/10/14
1		(U, U, U, E)	OSEKI	13:27
_	0	6735692.URPN.	USPAT	2004/10/14
		- 0,00 0,21 01th	051111	14:13
_	8	6018771.URPN.	USPAT	2004/10/14
				14:13
_	1	("6018771").PN.	USPAT	2004/10/15
	l .			09:45
_	8	6018771.URPN.	USPAT	2004/10/15
				10:58
-	14	("5557748" "5794031" "5872968"	USPAT	2004/10/15
		"5875306" "5974547" "6009474"		10:58
		"6012088" "6026438" "6070187"		
		"6175918" "6317826" "6421777"		
		"6535976" "6611915").PN.		/
_	1	(("5557748" "5794031" "5872968"	USPAT	2004/10/15
		"5875306" "5974547" "6009474" "6012088" "6026438" "6070187"		10:59
İ				
		"6175918" "6317826" "6421777" "6535976" "6611915").PN.) and		.
		6555976		
_	R	multicast adj address same boot\$9	USPAT;	2004/10/15
		and books	EPO; JPO;	11:09
			DERWENT;	
	1		IBM TDB	
-	1	multicast adj address and boot\$9 and PXE	USPĀT;	2004/10/15
1			EPO; JPO;	13:17
1		+	DERWENT;	
i			IBM_TDB	
-	40	multicast adj address and boot\$9 and DHCP	USPĀT;	2004/10/15
			EPO; JPO;	11:10
			DERWENT;	
İ			IBM_TDB	
_	12		USPAT;	2004/10/15
		and query	EPO; JPO;	11:11
			DERWENT;	
_	1	multicast adj address and PXE	IBM_TDB USPAT;	2004/10/15
		marcrease adj address and FAE	EPO; JPO;	13:18
		*	DERWENT;	10.10
			IBM TDB	·
-	98	pre-boot\$9	USPAT	2004/10/15
1				13:21
1-	8	pre-boot\$9 and multicast\$3	USPAT	2004/10/15
				13:21